

服务热线 400-188-7316




奇爱管业

天然气产品系列

GAS HOSE SYSTEM

奇爱集团有限公司
QIAI GROUP CO.,LTD.
浙江奇爱管业有限公司
ZHEJIANG QIAI TUBING INDUSTRY CO.,LTD.

地址: 浙江省诸暨市店口解放路831号
Add: NO.831 JIEFANG ROAD, DIANKOU AREA, ZHUJI CITY, ZHEJIANG, CHINA
电话(Tel): 0575-87652811/87060361/8611
传真(Fax): 0575-87652811
邮编(P.C.): 311814
邮箱(E-mail): qiai@qiaigroup.com
网址(Website): www.qiaigroup.com



扫一扫访问我们的
网站获取更多信息



奇爱管业
天然气系列

高端燃气产品集成供应商
TOP SUPPLIER OF GAS HOSE PRODUCT



TO CERATE A BETTER LIFE

共创美好生活!

ZHEJIANG QIAI TUBING INDUSTRY CO.,LTD., located in DiankouTown, Zhuji City, Zhejiang, China. QIAI was established in 1996, close to Hangzhou, Shanghai, Ningbo and Yiwu, only 45km near to Xiaoshan International Airport.

large number of users.

Company with "honesty, quality and service" as the tenet, welcome to join us!

We are the manufacturer of Stainless Steel Corrugated Flexible Gas hose,Stainless Steel Flexible Water hose, Air-Conditioning hose, Aluminium-Plastic pipes, Aluminium PP-R pipes,PP-R pipes and fittings, PE-RT pipes and fittings, Brass Fittings, Ball Valves and so on.

QIAI Based on excellent management, relying on the perfect quality system. All the production passed ISO9001 certificate authorized by the national quality management system, CE certificate, OHSAS18001:2007 Certificate of Occupational Health and Safety Management System, ISO14001:2015 Certificate of Environment Management System, and We are honored to gain the license of Special Equipment Manufacturing of Gas System. We established a national Laboratory. At present, the company's product sales network has spread all over the world, establish and improve the quality, efficient and fast professional marketing management team and provide a good service for a



COMPANY PROFILE

公司简介

浙江奇爱管业有限公司市级规模企业, 创建于 1996 年, 座落在风景秀丽的古越文化发源地西施故里诸暨市店口镇, 浙赣铁路和杭金衢高速公路贯穿而过, 北临省会杭州、上海, 东临宁波, 南临义乌国际小商品市场, 距萧山国际机场仅 45 公里, 地理位置优越, 交通方便。

公司专业生产“奇爱”牌不锈钢燃气波纹管、水暖不锈钢波纹管、空调不锈钢波纹管、铝塑管、铝塑 PP-R 管、PP-R 管材管件、PE-RT 管材管件、水暖铜配件、铜塑阀门等产品。

公司以良好的管理为依托, 依靠完善的质量体系。本公司生产的所有产品已通过 ISO9001 国际质量管理体系, 荣获 CE 欧盟质量认证 OHSAS 18001:2007 职业健康安全管理体系认证、ISO 14001:2015 环境管理体系认证及燃气类特种设备制造许可证, 并设有国家级实验室, 本公司产品由中国平安保险公司承保。我司先后被评为浙江省“重合同、守信用”单位、市级著名商标, 市级名牌产品。目前公司产品销售网络已遍布全国, 建立、健全了为广大用户提供优质、高效、快捷的专业营销管理队伍和服务。

公司秉承“诚信为本、以质求量、以质求效、全心服务”的经营理念, 欢迎海内外有识之士加盟、贸易及洽谈。



奇爱管业
天然气系列

高端燃气产品集成供应商
TOP SUPPLIER OF GAS HOSE PRODUCT

EXQUISITE MANUFACTURING PROCESS

精益制造



奇爱管业坚持“质量求生存，诚信求发展”，成为国内外高端燃气产品集成供应商，现借助互联网的便捷，以国际一流品牌的品质呈现在消费者面前，更为全球燃气产品市场确立发展方向和树立品质标杆。

We firmly believe that "quality is the guarantee of survival, honesty is the precondition of development", become a top gas product integration supplier at home and abroad. It is to provide five star technical support and product services, to provide the best purchasing indication for consumers, meanwhile we also as a flag standing in the head of the world's gas system qualified production development for the market.

PAGE09-10

燃气输送用不锈钢波纹管

STAINLESS STEEL CORRUGATED GAS HOSE SERIES

PAGE11-12

燃气灶具连接用不锈钢波纹管

STAINLESS STEEL GAS FLEX HOSE FOR COOKER

PAGE13-16

燃气专用管件系列

ACCESSORIES SERIES

PAGE17-20

燃气专用阀门系列

VALVES SERIES

PAGE21-22

燃气专用工具

TOOLS SERIES

PAGE23-24

水暖管系列

WATER HOSE SERIES

PAGE25-26

压力管道系列

PRESSURE PIPING SERIES



奇爱管业
天然气系列



高端燃气产品集成供应商
TOP SUPPLIER OF GAS HOSE PRODUCT

R&D DETECTION

研发检测

以国家认定企业技术中心、国家认可委员会认可的国家级实验室为平台的检测、研发、创新体系是公司实现可持续发展的可靠保障。公司拥有国际一流的大型精密试验研究仪器设备若干台，可对出厂产品品质全方位的保证。同时，公司拥有一支丰富设计经验的研发队伍，采用先进的计算机辅助设计软件和三维造型软件，保证产品从设计、选材、加工、质检等环节精益求精。

By the national recognized enterprise technology center, the National Accreditation Board for accreditation of National Laboratory for the detection platform, R & D, system innovation. These are the reliable guarantee for our company to achieve sustainable development.

HONORARY CERTIFICATE

资质证书

所有产品由中国平安保险承保



特种设备制造许可证
License of Special Equipment Manufacturing

质量管理体系认证
Quality management system certification

中国城市燃气协会会员单位
China City Gas Association member unit

环境管理体系认证证书
Environmental management system certificate

职业健康安全管理体系认证证书
Occupational health and safety management system certification



奇爱
国家级实验室
THE NATIONAL STANDARD
OF EXPERIMENTAL
TESTING CENTER



多达27+
项实用新型专利(27+ Practical patent)



奇爱管业
天然气系列

高端燃气产品集成供应商
TOP SUPPLIER OF GAS HOSE PRODUCT

STAINLESS STEEL CORRUGATED GAS HOSE SERIES

燃气输送用不锈钢波纹管



特点ADVANTAGE

- 满足用户个性化需求，采用埋墙、暗敷、明装等多种安装方式。
Meet the individual demands of users, apply to different installation methods, such as Buried in wall, hidden or External installation.
- 耐腐蚀性强，不锈钢材质，涂层采用阻燃PVC。
Strong corrosion resistance, stainless steel material, coating by flame retardant PVC.
- 具有补偿性，避免地震和建筑物沉降而造成的燃气泄漏现象。
It has the compensatory, to avoid gas leakage caused by the earthquake and settlement of buildings.
- 弯曲容易，能在狭窄的空间自由弯曲并通过。
Can bend easily, bend freely in narrow space and pass.
- 长度任意选择，管体中间没有接口，减少连接点，增加安全性。
Choose length freely, no interface between the tube, reduce the connection point, increase security.

规格信息SPECIFICATION

型号 Model Number	规格 Size(mm)	不锈钢厚度 Thickness Of Stainless Steel(mm)	包装数 PACKAGE 单卷长度 Length of Single Roll(m)
GA-101	DN10 13.5	0.20	30/50
	DN13 15.8 (16)	0.20	30/50
	DN13 15.8 (16)	0.25	30/50
	DN13 16.8	0.20	30/50
GA-102	DN13 16.8	0.25	30/50
	DN15 19.8	0.20	30/50
	DN15 19.8	0.25	30/50
	DN20 21.8	0.25	30/50



GA-101

燃气输送用不锈钢波纹管
Stainless Steel Corrugated Gas Tube

GA-102

燃气输送用不锈钢波纹管
Stainless Steel Corrugated Gas Tube



GA-201

燃气灶具连接用
不锈钢波纹管
Stainless Steel Gas
Flex Hose For Cooker

GA-202

燃气灶具连接用
不锈钢波纹管
Stainless Steel Gas
Flex Hose For Cooker

GA-203

燃气灶具连接用
不锈钢超柔管
SS Corrugated
Flexible Gas Hose

规格信息 SPECIFICATION

型号 Model Number	规格 Size(mm)	接口方式 Joint Method	包装数 Package 板 / 箱 pcs/carton
GA-201 焊接Welded	DN10 13.5	S/C/SC	300
			400
			500
			600
			700
GA-202 非焊接 Non-Welding	DN13 15.5	S/C/SC	800
			1000
			1200
			1500
			2000
GA-203 焊接Welded	DN10 14.5	S/C/SC	2500
			3000
			4000
			5000

注: S表示螺纹, C表示插入式, SC表示一内一插, 波纹都是环形波。
Remark: S - screw, C - push in, SC - one side female one side push in, Ripple is ring wave.

STAINLESS STEEL GAS FLEX HOSE FOR COOKER

燃气灶具连接用不锈钢波纹管

特点 ADVANTAGE

- 软管表面采用PVC套塑被覆层, 使整体更加美观、整洁、使用户以后清洁更加方便。
The surface of the tube covered by PVC, more beautiful, neat, clean, and more convenient for the usage of users afterwards.
- 具有安装方便、连接可靠、耐腐蚀、不堵气、柔软性好、使用寿命长等特点。
It has the features of convenient installation, reliable connection, corrosion resistance, good flexibility, long service life and so on.



GA-204

燃气用吸塑灶具管
Flexible Gas Hose M/F

GA-205

燃气用吸塑灶具管
Flexible Female
Gas Hose

GA-206

燃气不锈钢波纹
软管(焊接长短管)
Flexible Gas Hose
M/F(Welded)

规格信息 SPECIFICATION

型号 Model Number	外径 Outer Diameter(mm)	螺纹 Thread Size	长度 Length(mm)
GA-204	16-33	1/2", 3/4", 1", 1-1/4"	200-5000
GA-205	16-33	1/2", 3/4", 1", 1-1/4"	200-5000
GA-206	10.8(11)	F1/2"×M3/8	200-5000



奇爱管业
天然气系列

ACCESSORIES SERIES

燃气专用管件系列

特点ADVANTAGE

- 产品均采用选用优质原料、先进的热锻技术及去应力退火工艺，保证产品品质。
All products use excellent 100% new raw material, Advanced hot forging technology and stress relieving annealing process, assuring quality of products.
- 具有安装方便、连接可靠、耐腐蚀、不堵气、柔软性好、使用寿命长等特点。
With the features of convenient installation, reliable connection, corrosion resistance, good flexibility, long service life, etc.



高端燃气产品集成供应商
TOP SUPPLIER OF GAS HOSE PRODUCT



GA-301
F型三通分路器
F Shape Tee

规格
Size(mm)
M30*2-M1/2*2



GA-302
外牙三通
Male Tee

规格
Size(mm)
M½
M¾





GA-303
一内二外三通
Male and Female Tee

规格 Size(mm)
F½×M½×M½
F¾×M¾×M¾



GA-304
内螺纹燃气表用套筒
Female Gas Meter Union

规格 Size(mm)
DN13 F½
DN15 F½
DN20 F¾



GA-309
外牙对丝
Brass Nipple

规格 Size(mm)
M½
M¾



GA-310
异径对接
Reducing Nipple

规格 Size(mm)
M¾×M½



GA-305
外螺纹燃气表用套筒
Male Gas Meter Union

规格 Size(mm)
DN13 M½
DN15 M½
DN20 M¾



GA-306
燃气管螺母
Female Connector For Gas Hose

规格 Size(mm)
DN13 F½
DN15 F½
DN20 F¾



GA-311
插管活接
Union Connector For Gas Hose

规格 Size(mm)
M½×Φ11.5



GA-312
外丝出气嘴
Male Hose Nozzle

规格 Size(mm)
M½×Φ11.5



GA-307
简易螺母
Simple Female
Connector For Gas Hose

规格 Size(mm)
DN13 F½
DN15 F½
DN20 F¾



GA-308
燃气管螺母
Female Connector For Gas Hose

规格 Size(mm)
DN10 F1/2



GA-313
煤气表接头
Gas Meter Connector

规格 Size(mm)
M30×2×M1/2



GA-314
插入式接头
Inserted Connector

规格 Size(mm)
DN10×11.5



VALVES SERIES

燃气专用阀门系列

特点ADVANTAGE

- 产品原料为国标黄铜，产品经“中华人民共和国特种设备制造许可证”认证。
Raw material is Standard Brass, certified by "LICENSE OF CHINA SPECIALEQUIPMENT MANUFACTURING".
- 产品均采用先进的热锻技术及去应力退火工艺，具有安装方便、连接可靠、耐腐蚀等特点。
The Products apply Advanced hot forging technology and stress relieving annealing process. With the features of convenient installation, reliable connection, corrosion resistance.



GA-401
内外牙煤气管球阀
Male And Female Gas Valve

规格
Size(mm)

F $\frac{1}{2}$ *M $\frac{1}{2}$
F $\frac{3}{4}$ *M $\frac{3}{4}$



GA-402
两内煤气管球阀
Female Gas Valve

规格
Size(mm)

F $\frac{1}{2}$ *2
F $\frac{3}{4}$ *2



GA-403
带座外牙煤气管球阀
Sealed Male Gas Valve

规格
Size(mm)

M $\frac{1}{2}$ *M $\frac{1}{2}$
M $\frac{3}{4}$ *M $\frac{3}{4}$



GA-404
带座内外牙煤气管球阀
Seated Male And Female Gas Valve

规格
Size(mm)
F½×M½
F½×M¾



GA-405
外牙插管煤气管球阀
Male Hose Gas Valve

规格
Size(mm)
M½×Φ11.5



GA-410
三叉外牙球阀
Male Valve 3 Ways

规格
Size(mm)
M½×3



GA-411
内牙双叉球阀
Female 2 Way Hose Valve

规格
Size(mm)
F½×Φ11.5×2



GA-406
内牙插管煤气管球阀
Female Hose Gas Valve

规格
Size(mm)
F½×Φ11.5



GA-407
带座内牙插管球阀
Female Hose Seated Gas Valve

规格
Size(mm)
F½×Φ11.5



GA-412
外牙双叉球阀
Male 2 Way Hose Valve

规格
Size(mm)
M½×Φ11.5×2



GA-413
温控流量控制阀
Temperature Auto Flow Control Valve

规格
Size(mm)
FM1/2



GA-408
带座外牙插管球阀
Male Hose Seated Gas Valve

规格
Size(mm)
M½×Φ11.5



GA-409
内牙活接双外丝球阀
Female Union Hose Valve

规格
Size(mm)
F½×M½×2



GA-414
流量控制阀
Flow Control Valve

规格
Size(mm)
FM1/2



GA-415
壁挂炉活接球阀
Gas Boiler Union Valve

规格
Size(mm)
F1/2

TOOLS SERIES

燃气专用工具

规格信息 SPECIFICATION

型号 Model Number	规格 Size(mm)
GA-501软管被覆层剥离器 Stripper For Gas Hose	DN10-DN32
GA-502不锈钢波纹管用割刀 Cutter For Gas Tube	DN10-DN32
GA-503平口器 Hose Flat Maker	DN10-DN32
GA-504平口器 Hose Flat Maker	DN10-DN32



WATER HOSE SERIES

水暖管系列

特点ADVANTAGE

- 采用先进的一体制造技术，可有效地避免环焊缝对产品寿命的影响，产品更加安全耐用。
Performing advanced manufacturing technology, can effectively avoid the impact of the ring weld on the product life, the product is more safe and durable.
- 具有安装方便、连接可靠、耐腐蚀、柔软性好、不漏水、使用寿命长等特点。
With the features of convenient installation, reliable connection, corrosion resistance, good flexibility, no leakage long service life, etc.

规格信息SPECIFICATION

型号 Model Number	规格 Size(mm)	不锈钢厚度 Thickness Of Stainless Steel(mm)	包装数 Package 单圈长度 Length of Single Roll(m)
GA-601	DN10	13.5	0.20
	DN13	15.8 (16)	0.20
	DN13	15.8 (16)	0.25
	DN13	16.8	0.20
	DN13	16.8	0.25
	DN15	19.8	0.20
	DN15	19.8	0.25
	DN20	21.8	0.25

型号 Model Number	规格 Size(mm)	包装数 Package 根/箱 pcs/carton	型号 Model Number	规格 Size(mm)	包装数 Package 根/箱 pcs/carton		
GA-602	内牙 F1/2	DN13*200	300	GA-603	内外牙 F1/2*M1/2		
		DN13*300	250			DN13*200	300
		DN13*400	200			DN13*300	250
		DN13*500	150			DN13*400	200
		DN13*600	100			DN13*500	150
		DN13*700	100			DN13*600	100
		DN13*800	100			DN13*700	100
		DN13*900	100			DN13*800	100
		DN13*1000	100			DN13*900	100
GA-604	内牙 F3/4	DN15*200	150	GA-603	内外牙 F3/4*M3/4		
		DN15*300	150			DN15*200	150
		DN15*400	100			DN15*300	150
		DN15*500	100			DN15*400	100
		DN15*600	100			DN15*500	100
		DN15*600	100			DN15*600	100
		DN15*700	100			DN15*700	100
		DN15*800	100			DN15*800	100
		DN15*900	100			DN15*900	100
		DN15*1000	100			DN15*1000	100



GA-604
水用不锈钢
波纹管（焊接）
Male And Female
Stainless Steel
Flexible Hose

GA-603
水暖管短管
Male And Female
Stainless Steel
Flexible Hose

GA-602
水用不锈钢波纹管
Stainless Steel
Flexible Hose

GA-601
水暖管软管
Stainless Steel
Corrugated Tube

GA-701

空调用波纹编织管
Air-Condition Braided Tube

GA-702

不锈钢空调波纹管
Stainless Steel
Corrugated Tube

GA-703

不锈钢空调波纹管
Stainless Steel Air-Condition
Corrugated Tube

PRESSURE PIPING SERIES

压力管道系列

特点ADVANTAGE

- 产品采用进口不锈钢制造，具有耐高腐蚀性，耐高温，耐低温和完美的力学性质特性。
Products made of imported stainless steel, with the perfect mechanical properties characteristics of high corrosion resistance, high temperature resistance, low temperature resistance.
- 侧面“U”型标准波距，使管子可适应更高压力等级和更具柔软性，管子采用独特的专利设计，稳定性高，便于安装。
“U” type in the side have standard wave distance, so that the pipe can be adapted to a higher pressure level and more flexible, the tube with a unique patented design, high stability, easy to install.

规格信息SPECIFICATION

型号 Model Number	规格 Size(mm)	包装数 Package 根/箱 pcs/carton
GA-701(铜)	外牙 M3/4	DN20*300 50
		DN20*400 50
		DN20*500 50
GA-702(铜)	外牙 M1"	DN25*300 30
		DN25*400 30
		DN25*500 30
GA-703(铁)	外牙 1 1/4	DN32*300 20
		DN32*400 20
		DN32*500 20